


(a) at least one compound comprising at least one active methylene group, wherein said at least one compound comprising at least one active methylene group comprises at least one methylene group substituted with two groups each having an effect chosen from an electron-withdrawing effect and a mesomeric effect, and further wherein said at least one compound comprising at least one active methylene group is chosen from:


1) compounds having formula (I):



in which:

- R<sub>1</sub> is chosen from -COR groups and -COOR groups, wherein R is chosen from hydrogen and alkyl groups; and
- R<sub>2</sub> is chosen from -COR groups, wherein R is chosen from hydrogen and alkyl groups; -COOR groups, wherein R is chosen from hydrogen and alkyl groups; nitrile groups; aryl groups, optionally substituted; alkylaryl groups, optionally substituted; and heterocycles, optionally substituted;

2) compounds having formula (II):




in which:

- R<sub>3</sub> is chosen from -COR groups, wherein R is chosen from hydrogen and alkyl groups; -COOR groups, wherein R is chosen from hydrogen and alkyl groups; nitrile groups; aryl groups, optionally substituted; alkylaryl groups, optionally substituted; and heterocycles, optionally substituted; and

- R<sub>4</sub> is chosen from alkyl groups, optionally substituted; acetyloxy groups; cycloalkyl groups; alkylaryl groups, optionally substituted; aralkyl groups; aryl groups, optionally substituted; aminoaryl groups, optionally substituted; and heterocycles, optionally substituted;

3) compounds having formula (III):





LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-408-4000

in which:

- $R_5$ , which may be identical or different, are each chosen from -COR groups, wherein R is chosen from hydrogen and alkyl groups; -COOR groups, wherein R is chosen from hydrogen and alkyl groups; nitrile group; aryl groups, optionally substituted; alkylaryl groups, optionally substituted; and heterocycles, optionally substituted; and
- $R_6$  is chosen from aryl groups, optionally substituted; aralkyl groups, optionally substituted; aminoaryl groups, optionally substituted; and heterocycles, optionally substituted;

4) pyrazole derivatives (i) having formula (IV) and having formula (V):



LAW OFFICES


FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-408-4000

in which:

- $R_7$  and  $R_8$ , which may be identical or different, are each chosen from alkyl groups, optionally substituted; acetyloxy groups; cycloalkyl groups; alkylaryl groups, optionally substituted; aralkyl groups; aryl groups, optionally substituted; aminoaryl groups, optionally substituted; and heterocycles, optionally substituted; and
- $R_9$  is chosen from hydrogen and alkyl groups, optionally substituted; and

pyrazole derivatives (ii) comprising at least two pyrazole rings chosen from pyrazole derivatives of formula (IV) and pyrazole derivatives of formula (V), wherein said at least two pyrazole rings are linked by at least one group chosen from divalent groups derived from  $R_7$  and divalent groups derived from  $R_8$ ;

5) barbituric acid derivatives (i) having formula (VI):



LAW OFFICES


FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-408-4000

in which:

-  $R_{10}$  and  $R_{11}$ , which may be identical or different, are each chosen from alkyl groups, optionally substituted; alkenyl groups; cycloalkyl groups; alkylaryl groups; and aryl groups, optionally substituted; and

barbituric acid derivatives (ii) comprising at least two rings chosen from barbituric acid derivatives of formula (VI), wherein said at least two rings are linked by at least one group chosen from divalent groups derived from  $R_{10}$  and divalent groups derived from  $R_{11}$ ;


6) pyridine derivatives having formula (VII):



in which:

- $R_{12}$  is chosen from alkyl groups, optionally substituted; and aryl groups, optionally substituted;
- $R_{13}$  is chosen from hydrogen; alkyl groups, optionally substituted; and aryl groups, optionally substituted; and
- $R_{14}$  is chosen from hydrogen; nitrile groups; alkyl groups, optionally substituted; and -COOR groups wherein R is chosen from hydrogen and alkyl groups, optionally substituted;

7) derivatives having formula (VIII):





in which:

- X is chosen from oxygen; sulphur; nitrogen; and  $NR'$  groups, wherein  $R'$  is chosen from alkyl groups; and
- $R_{15}$  is chosen from hydrogen; chlorine; bromine; hydroxyl groups; nitro groups; alkyl groups; alkoxy groups; carboxamide groups; sulphonamide groups; and nitrile groups;

8) derivatives having formula (IX) and derivatives having formula (X):

LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-408-4000



in which:

- X is chosen from oxygen; sulphur; nitrogen; and NR' groups,


wherein R' is chosen from alkyl groups; and

- R<sub>16</sub> is chosen from hydrogen; chlorine; bromine; hydroxyl groups;

nitro groups; alkyl groups; alkoxy groups; carboxamide groups;

sulphonamide groups; and nitrile groups;

9) derivatives having formula (XI):




in which:

LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-408-4000

- R<sub>17</sub> is chosen from hydrogen; hydroxyl groups; alkyl groups, optionally substituted; aryl groups, optionally substituted; and alkylaryl groups, optionally substituted;


10) indanedione derivatives of formula (XII):



in which:

- R<sub>18</sub> is chosen from hydrogen; chlorine; bromine; nitro groups; alkyl groups; alkoxy groups; carboxamide groups; sulphonamide groups; and nitrile groups;

11) derivatives having formula (XIII):



LAW OFFICES


FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-408-4000



in which:

- Z is chosen from O and NR, wherein R is chosen from hydrogen and alkyl groups;
- R<sub>x</sub> is chosen from sulphur and NR, wherein R is chosen from hydrogen and alkyl groups; and
- R<sub>19</sub> is chosen from hydrogen; alkyl groups; alkoxy groups; nitro groups; and nitrile groups;

12) dioxopyrazole derivatives having formula (XIV):



(XIV)


in which:

- R<sub>20</sub> and R<sub>21</sub>, which may be identical or different, are each chosen from hydrogen; alkyl groups; alkoxy groups; nitro groups; and nitrile groups;

13) 5-oxoimidazole derivatives having formula (XV):

LAW OFFICES


FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-408-4000



in which:

- R<sub>22</sub> is chosen from hydrogen and alkyl groups; and
- R<sub>23</sub> is chosen from hydrogen; alkyl groups; alkoxy groups; nitro groups; and nitrile groups;


14) dehydrobutyrolactone derivatives having formula (XVI):



in which:

- R<sub>24</sub> is chosen from hydrogen; alkyl groups; alkoxy groups; nitro groups; and nitrile groups;

15) compounds having formula (XVII):



(XVII)

in which:

- a/
- Z forms at least one aromatic ring;
  - V is chosen from oxygen and groups having the formula A-CH<sub>2</sub>-E in which A and E, which may be identical or different, are each chosen from substituents having a Hammett constant ranging from 0.4 to 2.0 and from substituents wherein the sum of Hammett constants of said substituents ranges from 0.4 to 2.0; and
  - Y is chosen from Co, O, S and NR<sub>1</sub> when V is chosen from said groups having the formula A-CH<sub>2</sub>-E, and Y is chosen from CS, C=NR<sub>2</sub>, SO and SO<sub>2</sub> when V is oxygen, wherein at least one of R<sub>1</sub> and R<sub>2</sub>, which may be identical or different, is chosen from hydrogen and alkyl groups;


and the cosmetically acceptable salts of each of said at least one compounds comprising at least one active methylene group; and

(b) at least one compound chosen from aldehydes; ketones; quinones; diiminoisoindoline derivatives; 3-aminoisoindolone derivatives; and the cosmetically acceptable salts of each of said at least one compounds;

LAW OFFICES


FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-408-4000

wherein when said at least one compound is chosen from aldehydes, said aldehydes are chosen from aldehydes said having formula (XVIII) and the cosmetically acceptable salts thereof:



in which:

- R<sub>25</sub> is chosen from groups having formula (XVIII A):



in which:


- R<sub>26</sub> and R<sub>27</sub>, which may be identical or different, are each chosen from hydrogen; alkyl groups; monohydroxyalkyl groups; polyhydroxyalkyl groups; alkylhydroxyalkyl groups; alkoxy groups; -CF<sub>3</sub> groups; and -OCF<sub>3</sub> groups;

-  $R_{26}$  and  $R_{27}$ , which may be identical or different, may also form, together with the atoms to which they are attached, at least one ring, optionally substituted, chosen from aryl rings; 5-membered heterocyclic rings; and 6-membered heterocyclic rings;

-  $n$  is an integer ranging from 0 to 3; and


-  $R_{28}$  is chosen from hydrogen; alkyl groups; monohydroxyalkyl groups; polyhydroxyalkyl groups; alkylhydroxyalkyl groups; alkoxy groups;  $-CF_3$  groups;  $-OCF_3$  groups; aryl groups, optionally substituted; alkylaryl groups, optionally substituted; 5-membered heterocyclic groups, optionally substituted; and 6-membered heterocyclic groups, optionally substituted;

wherein when said at least one compound is chosen from ketones, said ketones are chosen from ketones having formula (XIX), ketones having formula (XX), and the cosmetically acceptable salts thereof:



in which:

- R<sub>29</sub> is chosen from groups having formula (XVIII A):



in which:

- R<sub>26</sub> and R<sub>27</sub>, which may be identical or different, are each chosen from hydrogen; alkyl groups; monohydroxyalkyl groups; polyhydroxyalkyl groups; alkylhydroxyalkyl groups; alkoxy groups; -CF<sub>3</sub> groups; and -OCF<sub>3</sub> groups;
- R<sub>26</sub> and R<sub>27</sub>, which may be identical or different, may also form, together with the atoms to which they are attached, at least one ring, optionally substituted, chosen from aryl rings; 5-membered heterocyclic rings; and 6-membered heterocyclic rings;
- n is an integer ranging from 0 to 3; and
- R<sub>28</sub> is chosen from hydrogen; alkyl groups; monohydroxyalkyl groups; polyhydroxyalkyl groups; alkylhydroxyalkyl groups; alkoxy groups; -CF<sub>3</sub> groups; -OCF<sub>3</sub> groups; aryl groups, optionally

LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-408-4000

substituted; alkylaryl groups, optionally substituted; 5-membered  
heterocyclic groups, optionally substituted; and 6-membered  
heterocyclic groups, optionally substituted;

-  $R_{30}$  is chosen from alkyl groups; monohydroxyalkyl groups;  
polyhydroxyalkyl groups; alkylhydroxyalkyl groups; aryl groups, optionally  
substituted; alkylaryl groups, optionally substituted; 5-membered hetero-  
cyclic groups, optionally substituted; and 6-membered heterocyclic  
groups, optionally substituted; and

-  $R_{29}$  and  $R_{30}$  may also form, together with the atoms to which they are  
attached, at least one ring, optionally substituted, chosen from 5-  
membered aryl rings; 6-membered aryl rings; and heterocyclic rings; it  
being possible for said at least one ring itself to be attached to at least  
one additional ring, optionally substituted, chosen from 5-membered aryl  
rings; 6-membered aryl rings; and heterocyclic rings;

and with the proviso that a coloration of said at least one keratin fiber is  
achieved without an oxidizing agent.

18. A process according to Claim 17, wherein said at least one keratin  
fiber is a human keratin fiber.


19. A process according to Claim 18, wherein said human keratin fiber is  
hair.

LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L. L. P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-408-4000

20. A process according to Claim 17, wherein at least one of said heterocyclic rings comprises at least one heteroatom chosen from sulphur and nitrogen.

21. A process according to Claim 17, wherein said at least one compound is chosen from quinones having formula (XXI), quinones having formula (XXII), and the cosmetically acceptable salts thereof:




in which:

- $R_{31}$  is chosen from hydrogen; halogens; sulphonic groups; and alkoxy groups;
- $R_{32}$ ,  $R_{33}$  and  $R_{34}$ , which may be identical or different, are each chosen from hydrogen; halogens; hydroxyl groups; alkyl groups; monohydroxyalkyl groups; polyhydroxyalkyl groups; alkylhydroxyalkyl groups; alkylsulphonyl groups;



carboxyalkyl groups; aminoalkyl groups; alkylaminoalkyl groups;  
(dihydroxy)alkylaminoalkyl groups; alkyl-NR'R'' groups, wherein R' and R'', which  
may be identical or different, are each chosen from alkyl groups, or R' and R''  
may also form, together with the nitrogen atom to which they are attached, at  
least one ring chosen from aryl rings, 5-membered heterocycles, and 6-  
membered heterocycles; aryl groups; and amino groups, optionally substituted  
with at least one group chosen from alkyl groups and hydroxyalkyl groups; and  
- at least one of R<sub>31</sub> and R<sub>32</sub>, R<sub>32</sub> and R<sub>33</sub>, and R<sub>33</sub> and R<sub>34</sub> may also form,  
together with the atoms to which they are attached, at least one ring, optionally  
substituted, chosen from aryl rings; 5-membered heterocycles; and 6-membered  
heterocycles.

22. A process according to Claim 17, wherein said at least one  
compound is chosen from diaminoisindolines derivatives having formula  
(XXIII), 3-aminoisindolone derivatives having formula (XXIII), and the  
cosmetically acceptable salts thereof:



LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-406-4000

in which:

- R<sub>35</sub> and R<sub>36</sub>, which may be identical or different, are each chosen from hydrogen; alkyl groups; monohydroxyalkyl groups; polyhydroxyalkyl groups; alkylhydroxyalkyl groups; aminoalkyl groups; alkylaminoalkyl groups; (dihydroxy)alkylaminoalkyl groups; and alkyl-NR'R" groups, wherein R' and R", which may be identical or different, are each chosen from alkyl groups, or R' and R" may also form, together with the nitrogen atom to which they are attached, at least one ring chosen from aryl rings, 5-membered heterocycles and 6-membered heterocycles;

- A is chosen from oxygen and NH; and

- X and Z form, together with the atoms to which they are attached, at least one ring, optionally substituted, chosen from aryl rings; 5-membered heterocycles; and 6-membered heterocycles.

23. A process according to Claim 17, wherein said at least one compound comprising at least one active methylene group is chosen from malonic acid; malonic acid esters; acetoacetic acid; and acetoacetic acid derivatives.

24. A process according to Claim 17, wherein at least one compound comprising at least one active methylene group is chosen from pyrazolone(5); 3-methylpyrazolone(5); 1-phenyl-3-methylpyrazolone(5); 1-(b-cyanethyl)-3-methylpyrazolone(5); 1,3-dimethylpyrazolone(5); 1-(b-acetoxyethyl)-

al  
3-methylpyrazolone(5); 1-(o-chlorophenyl)-3-methylpyrazolone(5); 1-phenyl-  
3-carbomethoxypyrazolone(5); 1-(3-aminophenylpyrazolone(5);  
1-(4-aminophenyl)pyrazolone(5); 3-methylpyrazolone(5)-1-carboxamide;  
1-phenylpyrazolone(5)-3-carboxamide; aminopyrazole; 1-phenyl-5-  
aminopyrazole; 1-benzyl-5-aminopyrazole; 1-cyclohexyl-5-aminopyrazole;  
1-ethyl-3-methyl-5-aminopyrazole; 1-benzyl-3-phenyl-5-aminopyrazole;  
1-isopentyl-5-aminopyrazole; 1-furfuryl-5-aminopyrazole; 2-methyl-  
4H-pyrazolo(5)-[2,3-a]-benzimidazole; [1-(3-thiacyclopentyl)-  
3-methylpyrazolone(5) S-dioxide]; and 2-methyl-1H-  
3,3a,8-triazacyclopenta[a]indene.

25. A process according to Claim 17, wherein said at least one  
compound comprising at least one active methylene group is chosen from  
di-n-butylbarbituric acid; diisobutylbarbituric acid; di-N-amylbarbituric acid;  
diisoamylbarbituric acid; di-n-hexylbarbituric acid; dibenzylbarbituric acid;  
di-β-phenylethylbarbituric acid; dicyclohexylbarbituric acid; diphenylbarbituric  
acid; di-p-tolylbarbituric acid; di-p-methoxybenzylbarbituric acid; N-methyl-  
N'-n-butylbarbituric acid; N-methyl-N'-benzylbarbituric acid; N-methyl-  
N'-β-phenylethylbarbituric acid; N-methyl-N'-γ-phenylpropylbarbituric acid;  
N-methyl-N'-γ-phenylbutylbarbituric acid; N-methyl-N'-α-isobutyl-  
γ-phenylpropylbarbituric acid; N-methyl-N'-cyclohexylbarbituric acid; N-methyl-N'-  
phenylbarbituric acid; N-methyl-N'-p-tolylbarbituric acid; N-methyl-  
N'-norbornylmethylbarbituric acid; N-ethyl-N'-n-butylbarbituric acid;

21.  
N-ethyl-N'-benzylbarbituric acid; N-ethyl-N'-β-phenylethylbarbituric acid; N-ethyl-N'-γ-phenylpropylbarbituric acid; N-ethyl-N'-γ-phenylbutylbarbituric acid; N-ethyl-N'-α-isobutyl-γ-phenylpropylbarbituric acid; N-ethyl-N'-cyclohexylbarbituric acid; N-ethyl-N'-phenylbarbituric acid; N-ethyl-N'-p-tolylbarbituric acid; N-ethyl-N'-norbornylmethylbarbituric acid; N-n-butyl-N'-n-butylbarbituric acid; N-n-butyl-N'-benzylbarbituric acid; N-n-butyl-N'-β-phenylethylbarbituric acid; N-n-butyl-N'-γ-phenylpropylbarbituric acid; N-n-butyl-N'-γ-phenylbutylbarbituric acid; N-n-butyl-N'-α-isobutyl-γ-phenylpropylbarbituric acid; N-n-butyl-N'-cyclohexylbarbituric acid; N-n-butyl-N'-phenylbarbituric acid; N-n-butyl-N'-p-tolylbarbituric acid; and N-n-butyl-N'-norbornylmethylbarbituric acid.

26. A process according to Claim 17, wherein said at least one compound comprising at least one active methylene group is chosen from 2,6-dihydroxy-3-cyano-4-methylpyridine; cyanopyridones; aminonitropyridones; and aminocyanopyridones.

27. A process according to Claim 17, wherein said at least one compound comprising at least one active methylene group is chosen from N-methyl-3-cyano-4-methyl-6-hydroxy-2-pyridone; N-ethyl-3-cyano-4-methyl-6-hydroxy-2-pyridone; N-b-methoxyethyl-3-cyano-4-methyl-6-hydroxy-2-pyridone; 2,6-dihydroxy-3-cyano-4-methylpyridine; N-b-hydroxyethyl-3-cyano-4-methyl-6-hydroxy-2-pyridone; N-butyl-3-cyano-4-methyl-6-hydroxy-2-pyridone; and N-phenyl-3-cyano-4-methyl-6-hydroxy-2-pyridone.

LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N.W.  
WASHINGTON, DC 20005  
202-408-4000

28. A process according to Claim 17, wherein said at least one compound comprising at least one active methylene group is chosen from 6-hydroxybenzofuran-(2H)-one and benzofuran-(2H)-one.

29. A process according to Claim 17, wherein said at least one compound comprising at least one active methylene group is chosen from:

- 1,3-dihydroindol-2-one;
- 3H-benzofuran-2-one;
- 1-methyl-1,3-dihydroindol-2-one;
- 5-methoxy-3H-benzofuran-2-one;
- 5-nitro-1,3-dihydroindol-2-one;
- 1-methyl-5-nitro-1,3-dihydroindol-2-one;
- 6-methoxy-1,3-dihydroindol-2-one;
- 5-chloro-1,3-dihydroindol-2-one;
- 5,6-difluoro-1,3-dihydroindol-2-one;
- 6-hydroxy-5-methoxy-1,3-dihydroindol-2-one;
- 5,6-dimethoxy-1,3-dihydroindol-2-one; and
- 6-trifluoromethyl-1,3-dihydroindol-2-one.

30. A process according to Claim 17, wherein said at least one compound comprising at least one active methylene group is chosen from imidazo[1,2-a]pyridin-2-one and 6-bromoimidazo[1,2-a]pyridin-2-one.

LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-408-4000

31. A process according to Claim 17, wherein said at least one compound comprising at least one active methylene group is chosen from 2,4-dihydroxyquinoline.

32. A process according to Claim 17, wherein said at least one compound comprising at least one active methylene group is chosen from 1'1,3-indanedione.

al 33. A process according to Claim 17, wherein said at least one compound comprising at least one active methylene group is chosen from rhodamine and 4-imino-4,5-dihydrothiazol-2-ylamine.

34. A process according to Claim 17, wherein said at least one compound comprising at least one active methylene group is chosen from 1,2-diphenyldioxopyrazole.

35. A process according to Claim 17, wherein said at least one compound comprising at least one active methylene group is chosen from 2-phenyl-3,5-dihydroimidazol-4-one and 3-methyl-2-p-tolyl-3,5-dihydroimidazol-4-one.

36. A process according to Claim 17, wherein said at least one compound comprising at least one active methylene group is chosen from phenyldihydrobutyrolactone.

37. A process according to Claim 17, wherein said at least one compound

LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-408-4000

comprising at least one active methylene group is chosen from 1,1-dioxo-1,2-dihydro-11,6-benzo[b]thiophen-3-one and 2-(1,1-dioxo-1,2-dihydro-11,6-benzo[b]thiophen-3-ylidene)malononitrile.

38. A process according to Claim 17, wherein said at least one compound is chosen from benzaldehyde; 2-monohydroxybenzaldehyde; 3-monohydroxybenzaldehyde; 4-monohydroxybenzaldehyde; 2-monomethoxybenzaldehyde; 3-monomethoxybenzaldehyde; 4-monomethoxybenzaldehyde; 2-monomethylbenzaldehyde; 3-monomethylbenzaldehyde; 4-monomethylbenzaldehyde; (2,3)-dihydroxybenzaldehyde; (2,4)-dihydroxybenzaldehyde; (2,5)-dihydroxybenzaldehyde; (2,6)-dihydroxybenzaldehyde; (3,5)-dihydroxybenzaldehyde; (2,3)-dimethoxybenzaldehyde; (2,4)-dimethoxybenzaldehyde; (2,5)-dimethoxybenzaldehyde; (2,6)-dimethoxybenzaldehyde; (3,5)-dimethoxybenzaldehyde; vanillin; isovanillin; syringaldehyde; orthophthalaldehyde; isophthalaldehyde; terephthalaldehyde; (2,3)-dimethylbenzaldehyde; (2,4)-dimethylbenzaldehyde; (2,5)-dimethylbenzaldehyde; (2,6)-dimethylbenzaldehyde; (3,5)-dimethylbenzaldehyde; 4-isopropylbenzaldehyde; 4-dimethylaminobenzaldehyde; 4-diethylaminobenzaldehyde; piperonal; (2,6)-dimethyl-4-hydroxybenzaldehyde; (3,5)-dimethyl-4-hydroxybenzaldehyde; 2-mononitrobenzaldehyde; 3-mononitrobenzaldehyde; 4-mononitrobenzaldehyde; 2-hydroxy-3-methoxybenzaldehyde; 2-hydroxy-4-methoxybenzaldehyde; 2-hydroxy-5-methoxybenzaldehyde; 2-hydroxy-6-methoxybenzaldehyde; 4-methylthiobenzaldehyde;

LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N.W.  
WASHINGTON, DC 20005  
202-408-4000

a/

(2,3,4)-trihydroxybenzaldehyde; (2,4,6)-trihydroxybenzaldehyde;  
(3,4,5)-trihydroxybenzaldehyde; (2,4,5)-trihydroxybenzaldehyde; methyl 2-formyl-  
benzoate; methyl 3-formylbenzoate; methyl 4-formylbenzoate;  
2-mono(2-hydroxyethoxy)benzaldehyde; 3-mono(2-hydroxyethoxy)benzaldehyde;  
4-mono(2-hydroxyethoxy)benzaldehyde; 4-nitro-3-hydroxybenzaldehyde;  
3-nitro-4-hydroxybenzaldehyde; 2-nitro-4-hydroxybenzaldehyde;  
3-nitro-2-hydroxybenzaldehyde; 2-monotrifluorobenzaldehyde;  
3-monotrifluorobenzaldehyde; 4-monotrifluorobenzaldehyde; 2,3-dihydroxy-4-  
methoxybenzaldehyde; 3,4-dihydroxy-5-methoxy benzaldehyde; 3,5-dihydroxy-  
4-methoxybenzaldehyde; 3-methoxy-2-nitrobenzaldehyde;  
4-methoxy-2-nitrobenzaldehyde; 2-methoxy-3-nitrobenzaldehyde; 4-methoxy-3-  
nitro-benzaldehyde; (2,3,4)-trimethoxybenzaldehyde;  
(2,4,6)-trimethoxybenzaldehyde; (3,4,5)-trimethoxybenzaldehyde;  
(2,4,5)-trimethoxybenzaldehyde; 5-nitrovanillin;  
(2,4)-dinitrobenzaldehyde; (2,6)-dinitrobenzaldehyde; pentamethylbenz-  
aldehyde; 4-methylsulphonylbenzaldehyde; 2-monoformylphenoxyacetic acid;  
3-monoformylphenoxyacetic acid; 4-monoformylphenoxyacetic acid;  
4-diethylaminosalicylaldehyde; 4-(3-dimethylaminopropoxy)benzaldehyde;  
2,3-dihydrobenzo(b)furan-5-carboxaldehyde; 1-naphthaldehyde; 2-naphthaldehyde;  
6-carboxaldehyde-1,4-benzodioxane; 5-carboxaldehyde-1,4-benzodioxane;  
2-monohydroxy-1-naphthaldehyde; 4-monohydroxy-1-naphthaldehyde;  
1-monohydroxy-2-naphthaldehyde; 1-(4-formylphenyl)imidazole; 4-pyrrolidino-  
benzaldehyde; 2-monomethoxy-1-naphthaldehyde; 4-monomethoxy-1-naphth

LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-408-4000



aldehyde; 2,3-dimethylchroman-6-carboxaldehyde; 2,3,6,7-tetrahydro-1H,5H-pyrido-(3,2,1-IJ)quinoline-9-carbaldehyde; 4-dimethylamino-1-naphthaldehyde; 9-anthraldehyde; 3-nitro-4-pyrrolidinobenzaldehyde; 3-nitro-4-piperidino benzaldehyde; 3-nitro-4-morpholinobenzaldehyde; pyridine-2-monocarboxaldehyde; pyridine-3-monocarboxaldehyde; pyridine-4-monocarboxaldehyde; 2,6-pyridino-dicarboxaldehyde; 5-formyl-6-methyluracil; pyridoxal; quinoline-2-monocarboxaldehyde; quinoline-3-monocarboxaldehyde; quinoline-4-monocarboxaldehyde; 8-hydroxyquinoline-2-carboxaldehyde; 2-furaldehyde; 3-furaldehyde; 2-thienylcarboxaldehyde; 3-thienylcarboxaldehyde; 2-imidazocarboxaldehyde; 3-imidazocarboxaldehyde; 2-pyrrolecarboxaldehyde; 5-nitro-2-furaldehyde; 5-(dimethylamino)-2-furaldehyde; 2,5-thiophenedicarboxaldehyde; 2,3-thiophenedicarboxaldehyde; pyrazole-3-carbaldehyde; 5-nitro-2-thiophenecarboxaldehyde; 5-nitro-3-thiophenecarboxaldehyde; indole-3-carboxaldehyde; N-methylindole-3-carboxaldehyde; 2-methylindole-3-carboxaldehyde; 4-monomethylindolecarboxaldehyde; 5-monomethylindolecarboxaldehyde; 6-monomethylindolecarboxaldehyde; 7-monomethylindolecarboxaldehyde; and 5-formyl-2-furansulphonic acid.

39. A process according to Claim 17, wherein said at least one compound is chosen from 2,3-indolinedione; 2,3-butanedione; 2,3-pentanedione; (2,3)-hexanedione; (3,4)-hexanedione; 1-phenyl-1,2-propanedione; benzil; furil; 2,2'-pyridil; nitrobenzil; anisil; 3,3'-dimethoxybenzil; 4,4'-bis(dimethylamino)benzil; camphoroquinone; cyclohexane-1,2-dione; isatin; N-methylisatin;

LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-408-4000

0-1  
4-monomethylisatin; 5-monomethylisatin; 6-monomethylisatin; 7-monomethylisatin;  
(4,5)-dimethylisatin; (4,7)-dimethylisatin; (5,7)-dimethylisatin; (6,7)-dimethylisatin;  
N-ethylisatin; N-hydroxymethylisatin; 5-monomethoxyisatin; 6-monomethoxyisatin;  
7-monomethoxyisatin; 4-monochloroisatin; 5-monochloroisatin; 6-monochloroisatin;  
7-monochloroisatin; 4-monobromoisatin; 5-monobromoisatin; 6-monobromoisatin;  
7-monobromoisatin; N-isopropylisatin; N-butylisatin; N-propylisatin; 5-nitroisatin;  
isatin-5-sulphonic acid; 2,4,5-trihydroxypyrimidine; alloxan; 1,3-dimethylhexahydro-  
2,4,5,6-pyrimidinetetraone; ninhydrin; chinisatin; 1,3-indenedione; squaric acid;  
croconic acid; 3,4-dimethoxy-3-cyclobutene-1,2-dione; 3-ethoxy-3-cyclobutene-1,2-  
dione; 4-ethoxy-3-cyclobutene-1,2-dione; 3-isopropoxy-3-cyclobutene-1,2-dione;  
4-isopropoxy-3-cyclobutene-1,2-dione; 3,4-di-N-butoxy-3-cyclobutene-1,2-dione;  
rhodizonic acid; oxindole; N-methyl-2-indolinone; N-methylnitro-2-indolinone;  
6-methoxyoxindole; 5,6-dimethoxyoxindole; 5-monochlorooxindole; and  
6-monochlorooxindole.

40. A process according to Claim 17, wherein said at least one compound is  
chosen from 1,4-naphthoquinone; spinolosin; atromentin; aurentioglyocladin; 2,5-  
dihydroxy-6-methylbenzoquinone; 2-hydroxy-3-methyl-6-methoxybenzoquinone;  
2,5-dihydroxy- 3,6-diphenylbenzoquinone; 2,3-dimethyl-5-hydroxy-6-  
methoxybenzoquinone; 2,5-dihydroxy-6-isopropylbenzoquinone; lawsone; juglone;  
fafioline; naphthazarine; naphthopurpurine; lapachol; plumbagin; chloroplumbagin;  
droserone; shikonine; 2-hydroxy-3-methyl-1,4-naphthoquinone; 3,5-dihydroxy-1,4-  
naphthoquinone; 2,5-dihydroxy-1,4-naphthoquinone; 2-methoxy-5-hydroxy-1,4-

naphthoquinone; 3-methoxy-5-hydroxy-1,4-naphthoquinone; (1,4)-naphthoquinone; (1,2)-naphthoquinone; 4,5-dimethoxy-1,2-benzoquinone; phenanthrenequinone; and (1,2)-naphthoquinone-4-sulphonic acid.

41. A process according to Claim 17, wherein said at least one compound is chosen from 3-imino-3H-isoindolylamine; 3-imino-4-methyl-3H-isoindolylamine; 3-imino-4-tert-butyl-3H-isoindol-1-ylamine; 3-imino-7-nitro-3H-isoindol-1-ylamine; 3-amino-1-imino-1H-isoindol-4-ol; 3-imino-7-isopropoxy-3H-isoindol-1-ylamine; 3-imino-7-(2,2,2-trifluoroethoxy)-3H-isoindol-1-ylamine; 3-imino-7-ethoxy-3H-isoindol-1-ylamine; 3-imino-7-butoxy-3H-isoindol-1-ylamine; 3-amino-1-imino-1H-isoindol-4-sulphonic acid; 3-imino-7-chloro-3H-isoindol-1-ylamine; 3-imino-5-methyl-3H-isoindol-1-ylamine; 3-imino-5-ethyl-3H-isoindol-1-ylamine; 3-imino-5-tert-butyl-3H-isoindol-1-ylamine; 3-imino-5-amino-3H-isoindol-1-ylamine; N-(1-amino-3-imino-3H-isoindol-5-yl)acetamide; 3-imino-5-nitro-3H-isoindol-1-ylamine; 3-imino-5-fluoro-3H-isoindol-1-ylamine; 3-imino-5-chloro-3H-isoindol-1-ylamine; 3-imino-5-methylsulphanyl-3H-isoindol-1-ylamine; 3-imino-5-methoxy-3H-isoindol-1-ylamine; 3-imino-5-ethoxy-3H-isoindol-1-ylamine; 3-imino-5-propoxy-3H-isoindol-1-ylamine; 3-imino-5-isopropoxy-3H-isoindol-1-ylamine; 3-imino-5-butoxy-3H-isoindol-1-ylamine; 3-imino-5-isobutoxy-3H-isoindol-1-ylamine; 3-imino-5-tert-butoxy-3H-isoindol-1-ylamine; 3-imino-5-(2,2,2-trifluoromethyl)-3H-isoindol-1-ylamine; 3-imino-5-(2,2,2-trifluoroethoxy)-3H-isoindol-1-ylamine; 3-imino-5-methanesulphonyl-3H-isoindol-1-ylamine; 3-imino-5,6-dimethyl-3H-isoindol-1-ylamine; 3-imino-5,6-diethyl-

LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-408-4000

**Attorney Docket No. 6028.0016**  
**Application No. 09/622,665**

3H-isoindol-1-ylamine; 3-imino-5,6-dimethoxy-3H-isoindol-1-ylamine; 3-imino-5,6-diethoxy-3H-isoindol-1-ylamine; 3-imino-5,6-dibutoxy-3H-isoindol-1-ylamine; 3-imino-5,6-bis(trifluoromethyl)-3H-isoindol-1-ylamine; 3-imino-5,6-dichloro-3H-isoindol-1-ylamine; 5,6-bis(ethoxymethyl)-3-imino-3H-isoindol-1-ylamine; 3-amino-1-imino-1H-isoindole-4,7-diol; 4,7-dichloro-3-imino-3H-isoindol-1-ylamine; 4,5,7-trichloro-3-imino-N6,N6-dimethyl-3H-isoindol-1,6-diamine; 4,5,6,7-tetrachloro-3-imino-3H-isoindol-1-ylamine; 4,5,6,7-tetrafluoro-3-imino-3H-isoindol-1-ylamine; 3-butylimino-3H-isoindol-1-ylamine; 2-(3-aminoisoindol-1-ylideneamino)ethanol; 3-(3-aminoisoindol-1-ylidenamino)-3-methylpentane-1,5-diol; N-(3-aminoisoindol-1-ylidene)guanidine; 7-imino-7H-pyrrolo[3,4-b]pyrid-5-ylamine; 7-imino-7H-pyrrolo[3,4-b]pyrazin-5-ylamine; 7-imino-2,3-dimethyl-7H-pyrrolo[3,4-b]pyrazin-5-ylamine; 7-imino-7H-[1,4]dithiino[2,3-c]pyrrol-5-ylamine; 7-imino-2,3-dimethyl-7H-[1,4]dithiino[2,3-c]pyrrol-5-ylamine; 7-imino-2-methyl-2,3-dihydro-7H-[1,4]dithiino[2,3-c]pyrrol-5-ylamine; 7-imino-2,3-dihydro-7H-[1,4]dithiino[2,3-c]pyrrol-5-ylamine; 3-aminoisoindol-1-one; 3-amino-7-methylisoindol-1-one; 3-amino-7-hydroxymethylisoindol-1-one; 3-amino-7-chloroisoindol-1-one; 3-amino-4-chloroisoindol-1-one; 3-amino-1-oxo-1H-isoindol-4-sulphonic acid; 3-amino-4-nitroisoindol-1-one; 3-amino-6-nitroisoindol-1-one; 3-amino-6-methylisoindol-1-one; 3-amino-6-chloro-isoindol-1-one; 3-amino-6-bromo-isoindol-1-one; 3-amino-6-methylsulphanylisindol-1-one; 3-amino-6-methoxyisoindol-1-one; 3-amino-5-chloroisoindol-1-one; 3-amino-5-fluoroisoindol-1-one; 3-amino-5-methoxyisoindol-1-one; 3-amino-5-nitroisoindol-1-one; ethyl 3-amino-1-oxo-1H-isoindole-5-carboxylate;

LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N.W.  
WASHINGTON, DC 20005  
202-408-4000

a  
3-amino-5,6-dichloroisindol-1-one; 3-amino-5,6-dibromoisindol-1-one; 3-amino-4,7-dichloroisindol-1-one; 3-amino-4,5,7-trichloroisindol-1-one; 3-amino-4,5,6,7-tetrachloroisindol-1-one; 3-amino-4,5,7-trichloro-6-methylsulphanylisindol-1-one; 3-amino-4,5,6,7-tetrabromoisindol-1-one; 3-amino-4,5,6,7-tetrafluoroisindol-1-one; 3-methylaminoisindol-1-one; 3-ethylaminoisindol-1-one; 3-propylaminoisindol-1-one; 3-dimethylaminoisindol-1-one; 7-ethylaminopyrrolo[3,4-b]pyrid-5-one; 7-aminopyrrolo[3,4-b]pyrid-5-one; 3-aminopyrrolo[3,4-c]pyrid-5-one; 3-amino-6-methylpyrrolo[3,4-c]pyrid-1-one; 5-aminopyrrolo[3,4-b]pyrid-7-one; 7-aminopyrrolo[3,4-b]pyrazin-5-one; 7-amino-2-methylpyrrolo[3,4-b]pyrazin-5-one; 7-amino-2,3-dimethylpyrrolo[3,4-b]pyrazin-5-one; 7-amino-2,3-dihydro[1,4]dithiino[2,3-c]pyrrol-5-one; 3-imino-2-methyl-2,3-dihydroisindol-1-one; 3-imino-2-ethyl-2,3-dihydroisindol-1-one; 3-imino-2-propyl-2,3-dihydroisindol-1-one; 2-hydroxymethyl-3-imino-2,3-dihydroisindol-1-one; 2-(2-hydroxyethyl)-3-imino-2,3-dihydroisindol-1-one; 2-(1-imino-3-oxo-1,3-dihydroisindol-2-yl)ethanesulphonic acid; 3-(1-imino-3-oxo-1,3-dihydroisindol-2-yl)propionic acid; 2-(3-hydroxypropyl)-3-imino-2,3-dihydroisindol-1-one; and 5-imino-6-methyl-5,6-dihydropyrrolo[3,4-b]pyridin-7-one.

42. A process according to Claim 17, wherein said salts are chosen from hydrochlorides; sulphates; hydrobromides; and tartrates.

43. A process according to Claim 17, wherein said at least one compound

LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-408-4000

comprising at least one active methylene group is chosen from benzofuran(2H)one; benzoylacetonitrile; 5-amino-2H-pyrazol-3-ol; and 4-imino-4,5-dihydrothiazol-2-ylamine.

44. A process according to Claim 17, wherein said at least one compound is chosen from naphthoquinone; isatin; N-methylisatin; 3-imino-3H-isoindol-1-ylamine; 4-dimethylaminobenzaldehyde; and 4-dimethylaminonaphthaldehyde.

45. A process according to Claim 17, wherein said at least one compound comprising at least one active methylene group is present in said composition in a concentration ranging from 0.01% to 10% by weight relative to the total weight of said composition.

46. A process according to Claim 45, wherein said at least one compound comprising at least one active methylene group is present in said composition in a concentration ranging from 0.05% to 5% by weight relative to the total weight of said composition.

47. A process according to Claim 17, wherein said at least one compound is present in said composition in a concentration ranging from 0.01% to 10% by weight relative to the total weight of said composition.

48. A process according to Claim 47, wherein said at least one compound is

LAW OFFICES


FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-408-4000

present in said composition in a concentration ranging from 0.05% to 5% by weight relative to the total weight of said composition.

49. A composition for dyeing at least one keratin fiber comprising:

(a) at least one compound comprising at least one active methylene group, wherein said at least one compound comprising at least one active methylene group comprises at least one methylene group substituted with two groups each having an effect chosen from an electron-withdrawing effect and a mesomeric effect, and further wherein said at least one compound comprising at least one active methylene group is chosen from:

1) compounds having formula (I):



in which:


- R<sub>1</sub> is chosen from -COR groups and -COOR groups, wherein R is chosen from hydrogen and alkyl groups; and
- R<sub>2</sub> is chosen from -COR groups, wherein R is chosen from hydrogen and alkyl groups; -COOR groups, wherein R is chosen from hydrogen

LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-406-4000

and alkyl groups; nitrile groups; aryl groups, optionally substituted; alkylaryl groups, optionally substituted; and heterocycles, optionally substituted;

2) compounds having formula (II):



in which:

- R<sub>3</sub> is chosen from -COR groups, wherein R is chosen from hydrogen and alkyl groups; -COOR groups, wherein R is chosen from hydrogen and alkyl groups; nitrile groups; aryl groups, optionally substituted; alkylaryl groups, optionally substituted; and heterocycles, optionally substituted; and


- R<sub>4</sub> is chosen from alkyl groups, optionally substituted; acetyloxy groups; cycloalkyl groups; alkylaryl groups, optionally substituted; aralkyl groups; aryl groups, optionally substituted; aminoaryl groups, optionally substituted; and heterocycles, optionally substituted;

3) compounds having formula (III):

LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-408-4000





in which:



- R<sub>5</sub>, which may be identical or different, are each chosen from -COR groups, wherein R is chosen from hydrogen and alkyl groups; -COOR groups, wherein R is chosen from hydrogen and alkyl groups; nitrile group; aryl groups, optionally substituted; alkylaryl groups, optionally substituted; and heterocycles, optionally substituted; and

- R<sub>6</sub> is chosen from aryl groups, optionally substituted; aralkyl groups, optionally substituted; aminoaryl groups, optionally substituted; and heterocycles, optionally substituted;

4) pyrazole derivatives (i) having formula (IV) and having formula (V):

LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-408-4000



in which:


- R<sub>7</sub> and R<sub>8</sub>, which may be identical or different, are each chosen from alkyl groups, optionally substituted; acetyloxy groups; cycloalkyl groups; alkylaryl groups, optionally substituted; aralkyl groups; aryl groups, optionally substituted; aminoaryl groups, optionally substituted; and heterocycles, optionally substituted; and
  - R<sub>9</sub> is chosen from hydrogen and alkyl groups, optionally substituted;
- and

LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N.W.  
WASHINGTON, DC 20005  
202-408-4000

pyrazole derivatives (ii) comprising at least two pyrazole rings chosen from pyrazole derivatives of formula (IV) and pyrazole derivatives of formula (V), wherein said at least two pyrazole rings are linked by at least one group chosen from divalent groups derived from  $R_7$  and divalent groups derived from  $R_8$ ;

5) barbituric acid derivatives (i) having formula (VI):



in which:

-  $R_{10}$  and  $R_{11}$ , which may be identical or different, are each chosen from alkyl groups, optionally substituted; alkenyl groups; cycloalkyl groups; alkylaryl groups; and aryl groups, optionally substituted;

and


barbituric acid derivatives (ii) comprising at least two rings chosen from barbituric acid derivatives of formula (VI), wherein said at least two rings

LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-408-4000

are linked by at least one group chosen from divalent groups derived from  $R_{10}$  and divalent groups derived from  $R_{11}$ ;

6) pyridine derivatives having formula (VII):




in which:

- $R_{12}$  is chosen from alkyl groups, optionally substituted; and aryl groups, optionally substituted;
- $R_{13}$  is chosen from hydrogen; alkyl groups, optionally substituted; and aryl groups, optionally substituted; and
- $R_{14}$  is chosen from hydrogen; nitrile groups; alkyl groups, optionally substituted; and -COOR groups wherein R is chosen from hydrogen and alkyl groups, optionally substituted;

7) derivatives having formula (VIII):

LAW OFFICES



FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-408-4000



in which:

- X is chosen from oxygen; sulphur; nitrogen; and NR' groups, wherein R' is chosen from alkyl groups; and
- R<sub>15</sub> is chosen from hydrogen; chlorine; bromine; hydroxyl groups; nitro groups; alkyl groups; alkoxy groups; carboxamide groups; sulphonamide groups; and nitrile groups;

8) derivatives having formula (IX) and derivatives having formula (X):



in which:

- X is chosen from oxygen; sulphur; nitrogen; and NR' groups, wherein R' is chosen from alkyl groups; and
- R<sub>16</sub> is chosen from hydrogen; chlorine; bromine; hydroxyl groups;


LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-408-4000

nitro groups; alkyl groups; alkoxy groups; carboxamide groups;

sulphonamide groups; and nitrile groups;


9) derivatives having formula (XI):



in which:

- R<sub>17</sub> is chosen from hydrogen; hydroxyl groups; alkyl groups, optionally substituted; aryl groups, optionally substituted; and alkylaryl groups, optionally substituted;

10) indanedione derivatives of formula (XII):




LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L. L. P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-408-4000

in which:

- $R_{18}$  is chosen from hydrogen; chlorine; bromine; nitro groups; alkyl groups; alkoxy groups; carboxamide groups; sulphonamide groups; and nitrile groups;

11) derivatives having formula (XIII):




in which:

- Z is chosen from O and NR, wherein R is chosen from hydrogen and alkyl groups;
- $R_x$  is chosen from sulphur and NR, wherein R is chosen from hydrogen and alkyl groups; and
- $R_{19}$  is chosen from hydrogen; alkyl groups; alkoxy groups; nitro groups; and nitrile groups;

12) dioxypyrazole derivatives having formula (XIV):

LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-408-4000




(XIV)

in which:

- R<sub>20</sub> and R<sub>21</sub>, which may be identical or different, are each chosen from hydrogen; alkyl groups; alkoxy groups; nitro groups; and nitrile groups;

13) 5-oxoimidazole derivatives having formula (XV):



(XV)

LAW OFFICES


FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-408-4000



in which:

- $R_{22}$  is chosen from hydrogen and alkyl groups; and
- $R_{23}$  is chosen from hydrogen; alkyl groups; alkoxy groups; nitro groups; and nitrile groups;


14) dehydrobutyrolactone derivatives having formula (XVI):



in which:

- $R_{24}$  is chosen from hydrogen; alkyl groups; alkoxy groups; nitro groups; and nitrile groups;

15) compounds having formula (XVII):




in which:

- a1
- Z forms at least one aromatic ring;
  - V is chosen from oxygen and groups having the formula A-CH<sub>2</sub>-E in which A and E, which may be identical or different, are each chosen from substituents having a Hammett constant ranging from 0.4 to 2.0 and from substituents wherein the sum of Hammett constants of said substituents ranges from 0.4 to 2.0; and
  - Y is chosen from Co, O, S and NR<sub>1</sub> when V is chosen from said groups having the formula A-CH<sub>2</sub>-E, and Y is chosen from CS, C=NR<sub>2</sub>, SO and SO<sub>2</sub> when V is oxygen, wherein at least one of R<sub>1</sub> and R<sub>2</sub>, which may be identical or different, is chosen from hydrogen and alkyl groups;

and the cosmetically acceptable salts of each of said at least one compounds comprising at least one active methylene group; and

(b) at least one compound chosen from aldehydes; ketones; quinones; diiminoisoindoline derivatives; 3-aminoisoindolone derivatives; and the cosmetically acceptable salts of each of said at least one compounds;

wherein when said at least one compound is chosen from aldehydes, said aldehydes are chosen from aldehydes said having formula (XVIII) and the cosmetically acceptable salts thereof:




LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-408-4000

in which:

-  $R_{25}$  is chosen from groups having formula (XVIII A):



in which:

-  $R_{26}$  and  $R_{27}$ , which may be identical or different, are each chosen from hydrogen; alkyl groups; monohydroxyalkyl groups; polyhydroxyalkyl groups; alkylhydroxyalkyl groups; alkoxy groups;  $-CF_3$  groups; and  $-OCF_3$  groups;

-  $R_{26}$  and  $R_{27}$ , which may be identical or different, may also form, together with the atoms to which they are attached, at least one ring, optionally substituted, chosen from aryl rings; 5-membered heterocyclic rings; and 6-membered heterocyclic rings;

-  $n$  is an integer ranging from 0 to 3; and


-  $R_{28}$  is chosen from hydrogen; alkyl groups; monohydroxyalkyl groups; polyhydroxyalkyl groups; alkylhydroxyalkyl groups; alkoxy

LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N.W.  
WASHINGTON, DC 20005  
202-406-4000


groups;  $-\text{CF}_3$  groups;  $-\text{OCF}_3$  groups; aryl groups, optionally substituted; alkylaryl groups, optionally substituted; 5-membered heterocyclic groups, optionally substituted; and 6-membered heterocyclic groups, optionally substituted;

wherein when said at least one compound is chosen from ketones, said ketones are chosen from ketones having formula (XIX), ketones having formula (XX), and the cosmetically acceptable salts thereof:



in which:

-  $\text{R}_{29}$  is chosen from groups having formula (XVIII A):



LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N.W.  
WASHINGTON, DC 20005  
202-408-4000

in which:

- $R_{26}$  and  $R_{27}$ , which may be identical or different, are each chosen from hydrogen; alkyl groups; monohydroxyalkyl groups; polyhydroxyalkyl groups; alkylhydroxyalkyl groups; alkoxy groups;  $-CF_3$  groups; and  $-OCF_3$  groups;
- $R_{26}$  and  $R_{27}$ , which may be identical or different, may also form, together with the atoms to which they are attached, at least one ring, optionally substituted, chosen from aryl rings; 5-membered heterocyclic rings; and 6-membered heterocyclic rings;
- $n$  is an integer ranging from 0 to 3; and
- $R_{28}$  is chosen from hydrogen; alkyl groups; monohydroxyalkyl groups; polyhydroxyalkyl groups; alkylhydroxyalkyl groups; alkoxy groups;  $-CF_3$  groups;  $-OCF_3$  groups; aryl groups, optionally substituted; alkylaryl groups, optionally substituted; 5-membered heterocyclic groups, optionally substituted; and 6-membered heterocyclic groups, optionally substituted;
- $R_{30}$  is chosen from alkyl groups; monohydroxyalkyl groups; polyhydroxyalkyl groups; alkylhydroxyalkyl groups; aryl groups, optionally substituted; alkylaryl groups, optionally substituted; 5-membered heterocyclic groups, optionally substituted; and 6-membered heterocyclic groups, optionally substituted; and
- $R_{29}$  and  $R_{30}$  may also form, together with the atoms to which they are attached, at least one ring, optionally substituted, chosen from 5-

a/

LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-408-4000

membered aryl rings; 6-membered aryl rings; and heterocyclic rings; it being possible for said at least one ring itself to be attached to at least one additional ring, optionally substituted, chosen from 5-membered aryl rings; 6-membered aryl rings; and heterocyclic rings; and with the proviso that said composition does not comprise an oxidizing agent.

50. A composition according to Claim 49, wherein said at least one keratin fiber is a human keratin fiber.

51. A composition according to Claim 50, wherein said human keratin fiber is hair.



52. A composition according to Claim 49, wherein at least one of said heterocyclic rings comprises at least one heteroatom chosen from sulphur and nitrogen.

53. A composition according to Claim 49, further comprising at least one medium suitable for dyeing.

54. A composition according to Claim 49, wherein said at least one compound is chosen from quinones having formula (XXI), quinones having formula (XXII), and the cosmetically acceptable salts thereof:

LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-406-4000



21

in which:


- $R_{31}$  is chosen from hydrogen; halogens; sulphonic groups; and alkoxy groups;
- $R_{32}$ ,  $R_{33}$  and  $R_{34}$ , which may be identical or different, are each chosen from hydrogen; halogens; hydroxyl groups; alkyl groups; monohydroxyalkyl groups; polyhydroxyalkyl groups; alkylhydroxyalkyl groups; alkylsulphonyl groups; carboxyalkyl groups; aminoalkyl groups; alkylaminoalkyl groups; (dihydroxy)alkylaminoalkyl groups; alkyl-NR'R'' groups, wherein R' and R'', which may be identical or different, are each chosen from alkyl groups, or R' and R'' may also form, together with the nitrogen atom to which they are attached, at least one ring chosen from aryl rings, 5-membered heterocycles, and 6-membered heterocycles; aryl groups; and amino groups, optionally substituted with at least one group chosen from alkyl groups and hydroxyalkyl groups; and

LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-408-4000

- at least one of  $R_{31}$  and  $R_{32}$ ,  $R_{32}$  and  $R_{33}$ , and  $R_{33}$  and  $R_{34}$  may also form, together with the atoms to which they are attached, at least one ring, optionally substituted, chosen from aryl rings; 5-membered heterocycles; and 6-membered heterocycles.

55. A composition according to Claim 49, wherein said at least one compound is chosen from diaminoisindolines derivatives having formula (XXIII), 3-aminoisindolone derivatives having formula (XXIII), and the cosmetically acceptable salts thereof:



in which:

-  $R_{35}$  and  $R_{36}$ , which may be identical or different, are each chosen from hydrogen; alkyl groups; monohydroxyalkyl groups; polyhydroxyalkyl groups; alkylhydroxyalkyl groups; aminoalkyl groups; alkylaminoalkyl groups; (dihydroxy)alkylaminoalkyl groups; and alkyl-NR'R'' groups, wherein R' and R'', which may be identical or different, are each chosen from alkyl groups, or R' and

LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-408-4000



R" may also form, together with the nitrogen atom to which they are attached, at least one ring chosen from aryl rings, 5-membered heterocycles and 6-membered heterocycles;

- A is chosen from oxygen and NH; and

- X and Z form, together with the atoms to which they are attached, at least one ring, optionally substituted, chosen from aryl rings; 5-membered heterocycles; and 6-membered heterocycles.

al 56. A composition according to Claim 49, said composition having a pH ranging from 2 to 11.

57. A composition according to Claim 56, wherein said pH ranges from 5 to 10.

58. A composition according to Claim 49, wherein said at least one compound comprising at least one active methylene group is chosen from malonic acid; malonic acid esters; acetoacetic acid; and acetoacetic acid derivatives.

59. A composition according to Claim 49, wherein at least one compound comprising at least one active methylene group is chosen from pyrazolone(5); 3-methylpyrazolone(5); 1-phenyl-3-methylpyrazolone(5); 1-(b-cyanethyl)-3-methylpyrazolone(5); 1,3-dimethylpyrazolone(5); 1-(b-acetoxyethyl)-3-methylpyrazolone(5); 1-(o-chlorophenyl)-

LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-408-4000

3-methylpyrazolone(5); 1-phenyl-3-carbomethoxypyrazolone(5);  
1-(3-aminophenylpyrazolone(5); 1-(4-aminophenyl)pyrazolone(5);  
3-methylpyrazolone(5)-1-carboxamide; 1-phenylpyrazolone(5)-3-carboxamide;  
aminopyrazole; 1-phenyl-5-aminopyrazole; 1-benzyl-5-aminopyrazole; 1-cyclohexyl-  
5-aminopyrazole; 1-ethyl-3-methyl-5-aminopyrazole; 1-benzyl-3-phenyl-  
5-aminopyrazole; 1-isopentyl-5-aminopyrazole; 1-furfuryl-5-aminopyrazole;  
2-methyl-4H-pyrazolo(5)-[2,3-a]-benzimidazole; [1-(3-thiacyclopentyl)-  
3-methylpyrazolone(5) S-dioxide]; and 2-methyl-1H-  
3,3a,8-triazacyclopenta[a]indene.

a1

60. A composition according to Claim 49, wherein said at least one compound comprising at least one active methylene group is chosen from di-n-butylbarbituric acid; diisobutylbarbituric acid; di-N-amylbarbituric acid; diisoamylbarbituric acid; di-n-hexylbarbituric acid; dibenzylbarbituric acid; di-β-phenylethylbarbituric acid; dicyclohexylbarbituric acid; diphenylbarbituric acid; di-p-tolylbarbituric acid; di-p-methoxybenzylbarbituric acid; N-methyl-N'-n-butylbarbituric acid; N-methyl-N'-benzylbarbituric acid; N-methyl-N'-β-phenylethylbarbituric acid; N-methyl-N'-γ-phenylpropylbarbituric acid; N-methyl-N'-γ-phenylbutylbarbituric acid; N-methyl-N'-α-isobutyl-γ-phenylpropylbarbituric acid; N-methyl-N'-cyclohexylbarbituric acid; N-methyl-N'-phenylbarbituric acid; N-methyl-N'-p-tolylbarbituric acid; N-methyl-N'-norbornylmethylbarbituric acid; N-ethyl-N'-n-butylbarbituric acid; N-ethyl-N'-benzylbarbituric acid; N-ethyl-N'-β-phenylethylbarbituric acid; N-ethyl-

LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-408-4000

61

N'-γ-phenylpropylbarbituric acid; N-ethyl-N'-γ-phenylbutylbarbituric acid; N-ethyl-N'-α-isobutyl-γ-phenylpropylbarbituric acid; N-ethyl-N'-cyclohexylbarbituric acid; N-ethyl-N'-phenylbarbituric acid; N-ethyl-N'-p-tolylbarbituric acid; N-ethyl-N'-norbornylmethylbarbituric acid; N-n-butyl-N'-n-butylbarbituric acid; N-n-butyl-N'-benzylbarbituric acid; N-n-butyl-N'-β-phenylethylbarbituric acid; N-n-butyl-N'-γ-phenylpropylbarbituric acid; N-n-butyl-N'-γ-phenylbutylbarbituric acid; N-n-butyl-N'-α-isobutyl-γ-phenylpropylbarbituric acid; N-n-butyl-N'-cyclohexylbarbituric acid; N-n-butyl-N'-phenylbarbituric acid; N-n-butyl-N'-p-tolylbarbituric acid; and N-n-butyl-N'-norbornylmethylbarbituric acid.

61. A composition according to Claim 49, wherein said at least one compound comprising at least one active methylene group is chosen from 2,6-dihydroxy-3-cyano-4-methylpyridine; cyanopyridones; aminonitropyridones; and aminocyanopyridones.

62. A composition according to Claim 49, wherein said at least one compound comprising at least one active methylene group is chosen from N-methyl-3-cyano-4-methyl-6-hydroxy-2-pyridone; N-ethyl-3-cyano-4-methyl-6-hydroxy-2-pyridone; N-b-methoxyethyl-3-cyano-4-methyl-6-hydroxy-2-pyridone; 2,6-dihydroxy-3-cyano-4-methylpyridine; N-b-hydroxyethyl-3-cyano-4-methyl-6-hydroxy-2-pyridone; N-butyl-3-cyano-4-methyl-6-hydroxy-2-pyridone; and N-phenyl-3-cyano-4-methyl-6-hydroxy-2-pyridone.

LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N.W.  
WASHINGTON, DC 20005  
202-408-4000

63. A composition according to Claim 49, wherein said at least one compound comprising at least one active methylene group is chosen from 6-hydroxybenzofuran-(2H)-one and benzofuran-(2H)-one.

64. A composition according to Claim 49, wherein said at least one compound comprising at least one active methylene group is chosen from:

- 1,3-dihydroindol-2-one;
- 3H-benzofuran-2-one;
- 1-methyl-1,3-dihydroindol-2-one;
- 5-methoxy-3H-benzofuran-2-one;
- 5-nitro-1,3-dihydroindol-2-one;
- 1-methyl-5-nitro-1,3-dihydroindol-2-one;
- 6-methoxy-1,3-dihydroindol-2-one;
- 5-chloro-1,3-dihydroindol-2-one;
- 5,6-difluoro-1,3-dihydroindol-2-one;
- 6-hydroxy-5-methoxy-1,3-dihydroindol-2-one;
- 5,6-dimethoxy-1,3-dihydroindol-2-one; and
- 6-trifluoromethyl-1,3-dihydroindol-2-one.

65. A composition according to Claim 49, wherein said at least one compound comprising at least one active methylene group is chosen from imidazo[1,2-a]pyridin-2-one and 6-bromoimidazo[1,2-a]pyridin-2-one.

LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-408-4000

66. A composition according to Claim 49, wherein said at least one compound comprising at least one active methylene group is chosen from 2,4-dihydroxyquinoline.

67. A composition according to Claim 49, wherein said at least one compound comprising at least one active methylene group is chosen from 1'1,3-indanedione.

68. A composition according to Claim 49, wherein said at least one compound comprising at least one active methylene group is chosen from rhodamine and 4-imino-4,5-dihydrothiazol-2-ylamine.

69. A composition according to Claim 49, wherein said at least one compound comprising at least one active methylene group is chosen from 1,2-diphenyldioxopyrazole.

70. A composition according to Claim 49, wherein said at least one compound comprising at least one active methylene group is chosen from 2-phenyl-3,5-dihydroimidazol-4-one and 3-methyl-2-p-tolyl-3,5-dihydroimidazol-4-one.

71. A composition according to Claim 49, wherein said at least one compound comprising at least one active methylene group is chosen from

LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L. L. P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-408-4000

phenyldihydrobutyrolactone.

72. A composition according to Claim 49, wherein said at least one compound comprising at least one active methylene group is chosen from 1,1-dioxo-1,2-dihydro-11,6-benzo[b]thiophen-3-one and 2-(1,1-dioxo-1,2-dihydro-11,6-benzo[b]thiophen-3-ylidene)malononitrile.

a/ 73. A composition according to Claim 49, wherein said at least one compound is chosen from benzaldehyde; 2-monohydroxybenzaldehyde; 3-monohydroxybenzaldehyde; 4-monohydroxybenzaldehyde; 2-monomethoxybenzaldehyde; 3-monomethoxybenzaldehyde; 4-monomethoxybenzaldehyde; 2-monomethylbenzaldehyde; 3-monomethylbenzaldehyde; 4-monomethylbenzaldehyde; (2,3)-dihydroxybenzaldehyde; (2,4)-dihydroxybenzaldehyde; (2,5)-dihydroxybenzaldehyde; (2,6)-dihydroxybenzaldehyde; (3,5)-dihydroxybenzaldehyde; (2,3)-dimethoxybenzaldehyde; (2,4)-dimethoxybenzaldehyde; (2,5)-dimethoxybenzaldehyde; (2,6)-dimethoxybenzaldehyde; (3,5)-dimethoxybenzaldehyde; vanillin; isovanillin; syringaldehyde; orthophthalaldehyde; isophthalaldehyde; terephthalaldehyde; (2,3)-dimethylbenzaldehyde; (2,4)-dimethylbenzaldehyde; (2,5)-dimethylbenzaldehyde; (2,6)-dimethylbenzaldehyde; (3,5)-dimethylbenzaldehyde; 4-isopropylbenzaldehyde; 4-dimethylaminobenzaldehyde; 4-diethylaminobenzaldehyde; piperonal; (2,6)-dimethyl-4-hydroxybenzaldehyde; (3,5)-dimethyl-4-hydroxybenzaldehyde; 2-mononitrobenzaldehyde;

LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-408-4000

3-mononitrobenzaldehyde; 4-mononitrobenzaldehyde; 2-hydroxy-3-methoxy-  
benzaldehyde; 2-hydroxy-4-methoxybenzaldehyde; 2-hydroxy-5-methoxy-  
benzaldehyde; 2-hydroxy-6-methoxybenzaldehyde; 4-methylthiobenzaldehyde;  
(2,3,4)-trihydroxybenzaldehyde; (2,4,6)-trihydroxybenzaldehyde;  
(3,4,5)-trihydroxybenzaldehyde; (2,4,5)-trihydroxybenzaldehyde; methyl 2-formyl-  
benzoate; methyl 3-formylbenzoate; methyl 4-formylbenzoate;  
2-mono(2-hydroxyethoxy)benzaldehyde; 3-mono(2-hydroxyethoxy)benzaldehyde;  
4-mono(2-hydroxyethoxy)benzaldehyde; 4-nitro-3-hydroxybenzaldehyde;  
3-nitro-4-hydroxybenzaldehyde; 2-nitro-4-hydroxybenzaldehyde;  
3-nitro-2-hydroxybenzaldehyde; 2-monotrifluorobenzaldehyde;  
3-monotrifluorobenzaldehyde; 4-monotrifluorobenzaldehyde; 2,3-dihydroxy-4-  
methoxybenzaldehyde; 3,4-dihydroxy-5-methoxy benzaldehyde; 3,5-dihydroxy-  
4-methoxybenzaldehyde; 3-methoxy-2-nitrobenzaldehyde;  
4-methoxy-2-nitrobenzaldehyde; 2-methoxy-3-nitrobenzaldehyde; 4-methoxy-3-  
nitro-benzaldehyde; (2,3,4)-trimethoxybenzaldehyde;  
(2,4,6)-trimethoxybenzaldehyde; (3,4,5)-trimethoxybenzaldehyde; (2,4,5)-  
trimethoxybenzaldehyde; 5-nitrovanillin; (2,4)-dinitrobenzaldehyde; (2,6)-  
dinitrobenzaldehyde; pentamethylbenzaldehyde; 4-methylsulphonylbenzaldehyde;  
2-monoformylphenoxyacetic acid; 3-monoformylphenoxyacetic acid;  
4-monoformylphenoxyacetic acid; 4-diethylaminosalicylaldehyde; 4-(3-dimethyl  
aminopropoxy)benzaldehyde; 2,3-dihydrobenzo(b)furan-5-carboxaldehyde;  
1-naphthaldehyde; 2-naphthaldehyde; 6-carboxaldehyde-1,4-benzodioxane;  
5-carboxaldehyde-1,4-benzodioxane; 2-monohydroxy-1-naphthaldehyde;

al

LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N.W.  
WASHINGTON, DC 20005  
202-408-4000

4-monohydroxy-1-naphthaldehyde; 1-monohydroxy-2-naphthaldehyde; 1-(4-formyl-phenyl)imidazole; 4-pyrrolidinobenzaldehyde; 2-monomethoxy-1-naphthaldehyde; 4-monomethoxy-1-naphthaldehyde; 2,3-dimethylchroman-6-carboxaldehyde; 2,3,6,7-tetrahydro-1H,5H-pyrido-(3,2,1-IJ)quinoline-9-carbaldehyde; 4-dimethyl-amino-1-naphthaldehyde; 9-anthraldehyde; 3-nitro-4-pyrrolidinobenzaldehyde; 3-nitro-4-piperidinobenzaldehyde; 3-nitro-4-morpholinobenzaldehyde; pyridine-2-monocarboxaldehyde; pyridine-3-monocarboxaldehyde; pyridine-4-monocarboxaldehyde; 2,6-pyridinodicarboxaldehyde; 5-formyl-6-methyluracil; pyridoxal; quinoline-2-monocarboxaldehyde; quinoline-3-monocarboxaldehyde; quinoline-4-monocarboxaldehyde; 8-hydroxyquinoline-2-carboxaldehyde; 2-furaldehyde; 3-furaldehyde; 2-thienylcarboxaldehyde; 3-thienylcarboxaldehyde; 2-imidazo-carboxaldehyde; 3-imidazocarboxaldehyde; 2-pyrrolecarboxaldehyde; 5-nitro-2-furaldehyde; 5-(dimethylamino)-2-furaldehyde; 2,5-thiophenedicarboxaldehyde; 2,3-thiophenedicarboxaldehyde; pyrazole-3-carbaldehyde; 5-nitro-2-thiophenecarboxaldehyde; 5-nitro-3-thiophenecarboxaldehyde; indole-3-carboxaldehyde; N-methylindole-3-carboxaldehyde; 2-methylindole-3-carboxaldehyde; 4-monomethylindolecarboxaldehyde; 5-monomethylindolecarboxaldehyde; 6-monomethylindolecarboxaldehyde; 7-monomethylindolecarboxaldehyde; and 5-formyl-2-furansulphonic acid.

74. A composition according to Claim 49, wherein said at least one

compound is chosen from 2,3-indolinedione; 2,3-butanedione; 2,3-pentanedione;

LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-408-4000



a/ (2,3)-hexanedione; (3,4)-hexanedione; 1-phenyl-1,2-propanedione; benzil; furil; 2,2'-pyridil; nitrobenzil; anisil; 3,3'-dimethoxybenzil; 4,4'-bis(dimethyl-amino)benzil; camphoroquinone; cyclohexane-1,2-dione; isatin; N-methylisatin; 4-monomethylisatin; 5-monomethylisatin; 6-monomethylisatin; 7-monomethylisatin; (4,5)-dimethylisatin; (4,7)-dimethylisatin; (5,7)-dimethylisatin; (6,7)-dimethylisatin; N-ethylisatin; N-hydroxymethylisatin; 5-monomethoxyisatin; 6-monomethoxyisatin; 7-monomethoxyisatin; 4-monochloroisatin; 5-monochloroisatin; 6-monochloroisatin; 7-monochloroisatin; 4-monobromoisatin; 5-monobromoisatin; 6-monobromoisatin; 7-monobromoisatin; N-isopropylisatin; N-butylisatin; N-propylisatin; 5-nitroisatin; isatin-5-sulphonic acid; 2,4,5-trihydroxypyrimidine; alloxan; 1,3-dimethylhexahydro-2,4,5,6-pyrimidinetetraone; ninhydrin; chinisatin; 1,3-indenedione; squaric acid; croconic acid; 3,4-dimethoxy-3-cyclobutene-1,2-dione; 3-ethoxy-3-cyclobutene-1,2-dione; 4-ethoxy-3-cyclobutene-1,2-dione; 3-isopropoxy-3-cyclobutene-1,2-dione; 4-isopropoxy-3-cyclobutene-1,2-dione; 3,4-di-N-butoxy-3-cyclobutene-1,2-dione; rhodizonic acid; oxindole; N-methyl-2-indolinone; N-methylnitro-2-indolinone; 6-methoxyoxindole; 5,6-dimethoxyoxindole; 5-monochlorooxindole; and 6-monochlorooxindole.

75. A composition according to Claim 49, wherein said at least one compound is chosen from 1,4-naphthoquinone; spinolosin; atromentin; aurentioglyocladin; 2,5-dihydroxy-6-methylbenzoquinone; 2-hydroxy-3-methyl-6-methoxybenzoquinone; 2,5-dihydroxy-3,6-diphenylbenzoquinone; 2,3-dimethyl-5-hydroxy-6-methoxybenzoquinone; 2,5-dihydroxy-6-isopropylbenzoquinone;

LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-408-4000

lawsone; juglone; fafioline; naphthazarine; naphthopurpurine; lapachol; plumbagin; chloroplumbagin; droserone; shikonine; 2-hydroxy-3-methyl-1,4-naphthoquinone; 3,5-dihydroxy-1,4-naphthoquinone; 2,5-dihydroxy-1,4-naphthoquinone; 2-methoxy-5-hydroxy-1,4-naphthoquinone; 3-methoxy-5-hydroxy-1,4-naphthoquinone; (1,4)-naphthoquinone; (1,2)-naphthoquinone; 4,5-dimethoxy-1,2-benzoquinone; phenanthrenequinone; and (1,2)-naphthoquinone-4-sulphonic acid.

76. A composition according to Claim 49, wherein said at least one compound is chosen from chosen from 3-imino-3H-isoindolylamine; 3-imino-4-methyl-3H-isoindolylamine; 3-imino-4-tert-butyl-3H-isoindol-1-ylamine; 3-imino-7-nitro-3H-isoindol-1-ylamine; 3-amino-1-imino-1H-isoindol-4-ol; 3-imino-7-isopropoxy-3H-isoindol-1-ylamine; 3-imino-7-(2,2,2-trifluoroethoxy)-3H-isoindol-1-ylamine; 3-imino-7-ethoxy-3H-isoindol-1-ylamine; 3-imino-7-butoxy-3H-isoindol-1-ylamine; 3-amino-1-imino-1H-isoindol-4-sulphonic acid; 3-imino-7-chloro-3H-isoindol-1-ylamine; 3-imino-5-methyl-3H-isoindol-1-ylamine; 3-imino-5-ethyl-3H-isoindol-1-ylamine; 3-imino-5-tert-butyl-3H-isoindol-1-ylamine; 3-imino-5-amino-3H-isoindol-1-ylamine; N-(1-amino-3-imino-3H-isoindol-5-yl)acetamide; 3-imino-5-nitro-3H-isoindol-1-ylamine; 3-imino-5-fluoro-3H-isoindol-1-ylamine; 3-imino-5-chloro-3H-isoindol-1-ylamine; 3-imino-5-methylsulphanyl-3H-isoindol-1-ylamine; 3-imino-5-methoxy-3H-isoindol-1-ylamine; 3-imino-5-ethoxy-3H-isoindol-1-ylamine; 3-imino-5-propoxy-3H-isoindol-1-ylamine; 3-imino-5-isopropoxy-3H-isoindol-1-ylamine; 3-imino-5-butoxy-3H-isoindol-1-ylamine; 3-imino-5-isobutoxy-3H-isoindol-1-ylamine;

LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-408-4000

**Attorney Docket No. 6028.0016**  
**Application No. 09/622,665**

3-imino-5-tert-butoxy-3H-isoindol-1-ylamine; 3-imino-5-(2,2,2-trifluoromethyl)-3H-isoindol-1-ylamine; 3-imino-5-(2,2,2-trifluoroethoxy)-3H-isoindol-1-ylamine; 3-imino-5-methanesulphonyl-3H-isoindol-1-ylamine; 3-imino-5,6-dimethyl-3H-isoindol-1-ylamine; 3-imino-5,6-diethyl-3H-isoindol-1-ylamine; 3-imino-5,6-dimethoxy-3H-isoindol-1-ylamine; 3-imino-5,6-diethoxy-3H-isoindol-1-ylamine; 3-imino-5,6-dibutoxy-3H-isoindol-1-ylamine; 3-imino-5,6-bis(trifluoromethyl)-3H-isoindol-1-ylamine; 3-imino-5,6-dichloro-3H-isoindol-1-ylamine; 5,6-bis(ethoxymethyl)-3-imino-3H-isoindol-1-ylamine; 3-amino-1-imino-1H-isoindole-4,7-diol; 4,7-dichloro-3-imino-3H-isoindol-1-ylamine; 4,5,7-trichloro-3-imino-N6,N6-dimethyl-3H-isoindol-1,6-diamine; 4,5,6,7-tetrachloro-3-imino-3H-isoindol-1-ylamine; 4,5,6,7-tetrafluoro-3-imino-3H-isoindol-1-ylamine; 3-butylimino-3H-isoindol-1-ylamine; 2-(3-aminoisoindol-1-ylideneamino)ethanol; 3-(3-aminoisoindol-1-ylidenamino)-3-methylpentane-1,5-diol; N-(3-aminoisoindol-1-ylidene)guanidine; 7-imino-7H-pyrrolo[3,4-b]pyrid-5-ylamine; 7-imino-7H-pyrrolo[3,4-b]pyrazin-5-ylamine; 7-imino-2,3-dimethyl-7H-pyrrolo[3,4-b]pyrazin-5-ylamine; 7-imino-7H-[1,4]dithiino[2,3-c]pyrrol-5-ylamine; 7-imino-2,3-dimethyl-7H-[1,4]dithiino[2,3-c]pyrrol-5-ylamine; 7-imino-2-methyl-2,3-dihydro-7H-[1,4]dithiino[2,3-c]pyrrol-5-ylamine; 7-imino-2,3-dihydro-7H-[1,4]dithiino[2,3-c]pyrrol-5-ylamine; 3-aminoisoindol-1-one; 3-amino-7-methylisoindol-1-one; 3-amino-7-hydroxymethylisoindol-1-one; 3-amino-7-chloroisoindol-1-one; 3-amino-4-chloroisoindol-1-one; 3-amino-1-oxo-1H-isoindol-4-sulphonic acid; 3-amino-4-nitroisoindol-1-one; 3-amino-6-nitroisoindol-1-one; 3-amino-6-methylisoindol-1-one; 3-amino-6-chloro-isoindol-1-one; 3-amino-6-bromo-isoindol-1-one; 3-amino-6-

al

**LAW OFFICES**

**FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-408-4000**

a/  
methylsulphanylisindol-1-one; 3-amino-6-methoxyisindol-1-one; 3-amino-5-chloroisindol-1-one; 3-amino-5-fluoroisindol-1-one; 3-amino-5-methoxyisindol-1-one; 3-amino-5-nitroisindol-1-one; ethyl 3-amino-1-oxo-1H-isindole-5-carboxylate; 3-amino-5,6-dichloroisindol-1-one; 3-amino-5,6-dibromoisindol-1-one; 3-amino-4,7-dichloroisindol-1-one; 3-amino-4,5,7-trichloroisindol-1-one; 3-amino-4,5,6,7-tetrachloroisindol-1-one; 3-amino-4,5,7-trichloro-6-methylsulphanylisindol-1-one; 3-amino-4,5,6,7-tetrabromoisindol-1-one; 3-amino-4,5,6,7-tetrafluoroisindol-1-one; 3-methylaminoisindol-1-one; 3-ethylaminoisindol-1-one; 3-propylaminoisindol-1-one; 3-dimethylaminoisindol-1-one; 7-ethylaminopyrrolo[3,4-b]pyrid-5-one; 7-aminopyrrolo[3,4-b]pyrid-5-one; 3-aminopyrrolo[3,4-c]pyrid-5-one; 3-amino-6-methylpyrrolo[3,4-c]pyrid-1-one; 5-aminopyrrolo[3,4-b]pyrid-7-one; 7-aminopyrrolo[3,4-b]pyrazin-5-one; 7-amino-2-methylpyrrolo[3,4-b]pyrazin-5-one; 7-amino-2,3-dimethylpyrrolo[3,4-b]pyrazin-5-one; 7-amino-2,3-dihydro[1,4]dithiino[2,3-c]pyrrol-5-one; 3-imino-2-methyl-2,3-dihydroisindol-1-one; 3-imino-2-ethyl-2,3-dihydroisindol-1-one; 3-imino-2-propyl-2,3-dihydroisindol-1-one; 2-hydroxymethyl-3-imino-2,3-dihydroisindol-1-one; 2-(2-hydroxyethyl)-3-imino-2,3-dihydroisindol-1-one; 2-(1-imino-3-oxo-1,3-dihydroisindol-2-yl)ethanesulphonic acid; 3-(1-imino-3-oxo-1,3-dihydroisindol-2-yl)propionic acid; 2-(3-hydroxypropyl)-3-imino-2,3-dihydroisindol-1-one; and 5-imino-6-methyl-5,6-dihydropyrrolo[3,4-b]pyridin-7-one.

77. A composition according to Claim 49, wherein said salts are chosen

LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-406-4000

from hydrochlorides; sulphates; hydrobromides; and tartrates.

78. A composition according to Claim 49, wherein said at least one compound comprising at least one active methylene group is chosen from benzofuran(2H)one; benzoylacetone; 5-amino-2H-pyrazol-3-ol; and 4-imino-4,5-dihydrothiazol-2-ylamine.

a<sup>1</sup>  
79. A composition according to Claim 49, wherein said at least one compound is chosen from naphthoquinone; isatin; N-methylisatin; 3-imino-3H-isindol-1-ylamine; 4-dimethylaminobenzaldehyde; and 4-dimethylaminonaphthaldehyde.

80. A composition according to Claim 49, wherein said at least one compound comprising at least one active methylene group is present in said composition in a concentration ranging from 0.01% to 10% by weight relative to the total weight of said composition.

81. A composition according to Claim 80, wherein said at least one compound comprising at least one active methylene group is present in said composition in a concentration ranging from 0.05% to 5% by weight relative to the total weight of said composition.

82. A composition according to Claim 49, wherein said at least one

LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-408-4000

compound is present in said composition in a concentration ranging from 0.01% to 10% by weight relative to the total weight of said composition.

83. A composition according to Claim 82, wherein said at least one compound is present in said composition in a concentration ranging from 0.05% to 5% by weight relative to the total weight of said composition.

al 84. A composition according to Claim 49, further comprising at least one fatty amide.

85. A composition according to Claim 84, wherein said at least one fatty amide is chosen from monoethanolamides of acids derived from copra; monoethanolamides of lauric acid; monoethanolamides of oleic acid; diethanolamides of acids derived from copra; diethanolamides of lauric acid; and diethanolamides of oleic acid.

86. A composition according to Claim 84, wherein said at least one fatty amide is present in a concentration ranging from 0.05% to 10% by weight relative to the total weight of said composition.

87. A composition according to Claim 49, further comprising at least one surfactant.

88. A composition according to Claim 87, wherein said at least one surfactant is chosen from anionic surfactants; cationic surfactants; nonionic surfactants; amphoteric surfactants; and zwitterionic surfactants.

89. A composition according to Claim 87, wherein said at least one surfactant is present in a concentration ranging from about 0.1% to about 50% by weight relative to the total weight of said composition.

al 90. A composition according to Claim 89, wherein said at least one surfactant is present in a concentration ranging from about 1% to about 20% by weight relative to the total weight of said composition.

91. A composition according to Claim 49, further comprising at least one thickener.

92. A composition according to Claim 91, wherein said at least one thickener is present in a concentration ranging from about 0.2% to about 20% by weight relative to the total weight of said composition.

93. A composition according to Claim 49, further comprising at least one cosmetically acceptable adjuvant chosen from antioxidants; fragrances; sequestering agents; dispersants; hair conditioners; preserving agents; and opacifiers.

LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-408-4000

94. A composition according to Claim 49, wherein said composition is in the form of a liquid, a cream or a gel.

95. A composition according to Claim 53, wherein said at least one medium suitable for dyeing is an aqueous medium chosen from water and organic solvents.

96. A composition according to Claim 95, wherein said organic solvents are chosen from alcohols; glycols; glycol ethers; and mixtures thereof.

97. A composition according to Claim 53, wherein said at least one medium suitable for dyeing is present in a concentration ranging from 0.5% to 20% by weight relative to the total weight of said composition.

98. A multi-compartment device or dyeing kit, wherein said device or dyeing kit comprises at least two compartments, wherein:

(a) a first compartment comprises a component (A); and

(b) a second compartment comprises a component (B);

wherein said component (A) comprises a composition which comprises at least one compound comprising at least one active methylene group which comprises at least one methylene group substituted with two groups each having an effect chosen from an electron-withdrawing effect and a mesomeric effect, wherein said at least one compound comprising at least one active methylene group is chosen


LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-408-4000



from:


1) compounds having formula (I):



in which:

- R<sub>1</sub> is chosen from -COR groups and -COOR groups, wherein R is chosen from hydrogen and alkyl groups; and
- R<sub>2</sub> is chosen from -COR groups, wherein R is chosen from hydrogen and alkyl groups; -COOR groups, wherein R is chosen from hydrogen and alkyl groups; nitrile groups; aryl groups, optionally substituted; alkylaryl groups, optionally substituted; and heterocycles, optionally substituted;

2) compounds having formula (II):




LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N.W.  
WASHINGTON, DC 20005  
202-408-4000

in which:

- R<sub>3</sub> is chosen from -COR groups, wherein R is chosen from hydrogen and alkyl groups; -COOR groups, wherein R is chosen from hydrogen and alkyl groups; nitrile groups; aryl groups, optionally substituted; alkylaryl groups, optionally substituted; and heterocycles, optionally substituted; and
- R<sub>4</sub> is chosen from alkyl groups, optionally substituted; acetyloxy groups; cycloalkyl groups; alkylaryl groups, optionally substituted; aralkyl groups; aryl groups, optionally substituted; aminoaryl groups, optionally substituted; and heterocycles, optionally substituted;

3) compounds having formula (III):





in which:

- R<sub>5</sub>, which may be identical or different, are each chosen from -COR groups, wherein R is chosen from hydrogen and alkyl groups; -COOR groups, wherein R is chosen from hydrogen and alkyl groups; nitrile group; aryl groups, optionally substituted; alkylaryl groups, optionally substituted; and heterocycles, optionally substituted; and

- R<sub>6</sub> is chosen from aryl groups, optionally substituted; aralkyl groups, optionally substituted; aminoaryl groups, optionally substituted; and heterocycles, optionally substituted;

4) pyrazole derivatives (i) having formula (IV) and having formula (V):




in which:

- R<sub>7</sub> and R<sub>8</sub>, which may be identical or different, are each chosen from alkyl groups, optionally substituted; acetyloxy groups; cycloalkyl groups; alkylaryl groups, optionally substituted; aralkyl groups; aryl groups, optionally substituted; aminoaryl groups, optionally substituted; and heterocycles,

optionally substituted; and

- R<sub>9</sub> is chosen from hydrogen and alkyl groups, optionally substituted; and  
pyrazole derivatives (ii) comprising at least two pyrazole rings chosen from pyrazole  
derivatives of formula (IV) and pyrazole derivatives of formula (V), wherein said at  
least two pyrazole rings are linked by at least one group chosen from divalent  
groups derived from R<sub>7</sub> and divalent groups derived from R<sub>8</sub>;

5) barbituric acid derivatives (i) having formula (VI):



in which:

- R<sub>10</sub> and R<sub>11</sub>, which may be identical or different, are each chosen from  
alkyl groups, optionally substituted; alkenyl groups; cycloalkyl groups;  
alkylaryl groups; and aryl groups, optionally substituted; and

barbituric acid derivatives (ii) comprising at least two rings chosen from barbituric  
acid derivatives of formula (VI), wherein said at least two rings are linked by at least


LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N.W.  
WASHINGTON, DC 20005  
202-408-4000

one group chosen from divalent groups derived from  $R_{10}$  and divalent groups

derived from  $R_{11}$ ;


6) pyridine derivatives having formula (VII):



in which:

- $R_{12}$  is chosen from alkyl groups, optionally substituted; and aryl groups, optionally substituted;
- $R_{13}$  is chosen from hydrogen; alkyl groups, optionally substituted; and aryl groups, optionally substituted; and
- $R_{14}$  is chosen from hydrogen; nitrile groups; alkyl groups, optionally substituted; and -COOR groups wherein R is chosen from hydrogen and alkyl groups, optionally substituted;



7) derivatives having formula (VIII):



in which:

- a/
- X is chosen from oxygen; sulphur; nitrogen; and NR' groups, wherein R' is chosen from alkyl groups; and
  - R<sub>15</sub> is chosen from hydrogen; chlorine; bromine; hydroxyl groups; nitro groups; alkyl groups; alkoxy groups; carboxamide groups; sulphonamide groups; and nitrile groups;

8) derivatives having formula (IX) and derivatives having formula (X):



in which:

- X is chosen from oxygen; sulphur; nitrogen; and NR' groups, wherein R' is chosen from alkyl groups; and
- R<sub>16</sub> is chosen from hydrogen; chlorine; bromine; hydroxyl groups; nitro


LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-408-4000

groups; alkyl groups; alkoxy groups; carboxamide groups;

sulphonamide groups; and nitrile groups;


9) derivatives having formula (XI):



in which:

- R<sub>17</sub> is chosen from hydrogen; hydroxyl groups; alkyl groups, optionally substituted; aryl groups, optionally substituted; and alkylaryl groups, optionally substituted;


10) indanedione derivatives of formula (XII):



in which:

- $R_{18}$  is chosen from hydrogen; chlorine; bromine; nitro groups; alkyl groups; alkoxy groups; carboxamide groups; sulphonamide groups; and nitrile groups;

11) derivatives having formula (XIII):



in which:


- Z is chosen from O and NR, wherein R is chosen from hydrogen and alkyl groups;
- $R_x$  is chosen from sulphur and NR, wherein R is chosen from hydrogen and alkyl groups; and
- $R_{19}$  is chosen from hydrogen; alkyl groups; alkoxy groups; nitro groups; and nitrile groups;

12) dioxopyrazole derivatives having formula (XIV):

LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-408-4000






(XIV)

al

in which:

- R<sub>20</sub> and R<sub>21</sub>, which may be identical or different, are each chosen from hydrogen; alkyl groups; alkoxy groups; nitro groups; and nitrile groups;

13) 5-oxoimidazole derivatives having formula (XV):



(XV)


in which:

LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N.W.  
WASHINGTON, DC 20005  
202-408-4000

- $R_{22}$  is chosen from hydrogen and alkyl groups; and
- $R_{23}$  is chosen from hydrogen; alkyl groups; alkoxy groups; nitro groups; and nitrile groups;


14) dehydrobutyrolactone derivatives having formula (XVI):



in which:

- $R_{24}$  is chosen from hydrogen; alkyl groups; alkoxy groups; nitro groups; and nitrile groups;

15) compounds having formula (XVII):



in which:

- $Z$  forms at least one aromatic ring;


- V is chosen from oxygen and groups having the formula A-CH<sub>2</sub>-E in which A and E, which may be identical or different, are each chosen from substituents having a Hammett constant ranging from 0.4 to 2.0 and from substituents wherein the sum of Hammett constants of said substituents ranges from 0.4 to 2.0; and

- Y is chosen from Co, O, S and NR<sub>1</sub> when V is chosen from said groups having the formula A-CH<sub>2</sub>-E, and Y is chosen from CS, C=NR<sub>2</sub>, SO and SO<sub>2</sub> when V is oxygen, wherein at least one of R<sub>1</sub> and R<sub>2</sub>, which may be identical or different, is chosen from hydrogen and alkyl groups;

and the cosmetically acceptable salts of each of said at least one compounds comprising at least one active methylene group; and

wherein said component (B) comprises at least one component (B) comprising a composition which comprises a composition which comprises at least one compound chosen from aldehydes; ketones; quinones; diiminoisoindoline derivatives; 3-aminoisoindolone derivatives; and the cosmetically acceptable salts of each of said at least one compounds;

wherein when said at least one compound is chosen from aldehydes, said aldehydes are chosen from aldehydes said having formula (XVIII) and the cosmetically acceptable salts thereof:




LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-408-4000

in which:

- R<sub>25</sub> is chosen from groups having formula (XVIII A):



in which:

- R<sub>26</sub> and R<sub>27</sub>, which may be identical or different, are each chosen from hydrogen; alkyl groups; monohydroxyalkyl groups; polyhydroxyalkyl groups; alkylhydroxyalkyl groups; alkoxy groups;

-CF<sub>3</sub> groups; and -OCF<sub>3</sub> groups;

- R<sub>26</sub> and R<sub>27</sub>, which may be identical or different, may also form, together with the atoms to which they are attached, at least one ring, optionally substituted, chosen from aryl rings; 5-membered heterocyclic rings; and 6-membered heterocyclic rings;

- n is an integer ranging from 0 to 3; and


- R<sub>28</sub> is chosen from hydrogen; alkyl groups; monohydroxyalkyl groups; polyhydroxyalkyl groups; alkylhydroxyalkyl groups; alkoxy groups; -CF<sub>3</sub>

LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N. W.  
WASHINGTON, DC 20005  
202-408-4000


groups;  $-\text{OCF}_3$  groups; aryl groups, optionally substituted; alkylaryl groups, optionally substituted; 5-membered heterocyclic groups, optionally substituted; and 6-membered heterocyclic groups, optionally substituted;

wherein when said at least one compound is chosen from ketones, said ketones are chosen from ketones having formula (XIX), ketones having formula (XX), and the cosmetically acceptable salts thereof:



in which:

-  $\text{R}_{29}$  is chosen from groups having formula (XVIII A):



in which:

-  $R_{26}$  and  $R_{27}$ , which may be identical or different, are each chosen from hydrogen; alkyl groups; monohydroxyalkyl groups; polyhydroxyalkyl groups; alkylhydroxyalkyl groups; alkoxy groups;

$-CF_3$  groups; and  $-OCF_3$  groups;

-  $R_{26}$  and  $R_{27}$ , which may be identical or different, may also form, together with the atoms to which they are attached, at least one ring, optionally substituted, chosen from aryl rings; 5-membered heterocyclic rings; and 6-membered heterocyclic rings;

-  $n$  is an integer ranging from 0 to 3; and

-  $R_{28}$  is chosen from hydrogen; alkyl groups; monohydroxyalkyl groups; polyhydroxyalkyl groups; alkylhydroxyalkyl groups; alkoxy groups;  $-CF_3$  groups;  $-OCF_3$  groups; aryl groups, optionally substituted; alkylaryl groups, optionally substituted; 5-membered heterocyclic groups, optionally substituted; and 6-membered heterocyclic groups, optionally substituted;

-  $R_{30}$  is chosen from alkyl groups; monohydroxyalkyl groups; polyhydroxyalkyl groups; alkylhydroxyalkyl groups; aryl groups, optionally substituted; alkylaryl groups, optionally substituted; 5-membered heterocyclic groups, optionally substituted; and 6-membered heterocyclic groups, optionally substituted; and

-  $R_{29}$  and  $R_{30}$  may also form, together with the atoms to which they are attached, at least one ring, optionally substituted, chosen from 5-membered aryl rings; 6-membered aryl rings; and heterocyclic rings; it being possible for said at least one

LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N.W.  
WASHINGTON, DC 20005  
202-408-4000

ring itself to be attached to at least one additional ring, optionally substituted, chosen from 5-membered aryl rings; 6-membered aryl rings; and heterocyclic rings; with the proviso that said device or dyeing kit does not comprise an oxidizing agent.

a/ 99. A multi-compartment device or dyeing kit according to Claim 98, wherein said salts are chosen from hydrochlorides; sulphates; hydrobromides; and tartrates.

100. A multi-compartment device or dyeing kit according to Claim 98, wherein at least one component chosen from said component (A) and said component (B) is in the form of an anhydrous composition; and wherein said device or dyeing kit comprises a third compartment comprising a cosmetically acceptable aqueous medium which is suitable for dyeing and which is intended to be mixed, before use, into at least one compartment chosen from said first compartment comprising a component (A) and said second compartment comprising a component (B). - -

**Remarks**

Claims 1-16 have been cancelled without prejudice or disclaimer. Claims 17-100 have been added, and are fully supported by the original application disclosure and claims. Accordingly, no new matter has been added.